

A	B		C	Srovnávací rozměry [mm]			
Standardní	Označení řemenů		RMA/MPTA	š x v	Li	Lw	La
1	2	3		4	5	6	7
13 x 5 x 468				13 x 5	468	492	500
13 x 5 x 500					500	524	532
13 x 5 x 600					600	624	632
13 x 5 x 700					700	724	732
13 x 5 x 750					750	774	782
13 x 5 x 850					850	874	882
13 x 5 x 900					900	924	932
13 x 5 x 1000					1000	1024	1032
13 x 5 x 1180					1180	1204	1212
17 x 5 x 426	W16 450			17 x 5	426	450	458
17 x 5 x 476	W16 500				476	500	508
17 x 5 x 536	W16 560				536	560	568
17 x 5 x 570	W16 600				570	594	602
17 x 5 x 606	W16 630				606	630	638
17 x 5 x 776	W16 800				776	800	808
20 x 10 x 600				20 x 10	600	647	663
20 x 10 x 700					700	747	763
20 x 10 x 800					800	847	863
20 x 10 x 900					900	947	963
20 x 10 x 1000					1000	1047	1063
20 x 10 x 1500					1500	1547	1563
21 x 6 x 530	W20 560			21 x 6	530	559	568
21 x 6 x 550					550	579	688
21 x 6 x 600	W20 630				600	629	638
21 x 6 x 610	W20 640				610	639	648
21 x 6 x 675	W20 710				675	704	713
21 x 6 x 770	W20 800				770	799	808
21 x 6 x 870	W20 900				870	899	908
21 x 6 x 970	W20 1000				970	999	1008
21 x 6 x 1220	W20 1250				1220	1249	1258
22 x 8 x 485		1430 V 215			485	523	535
		1422 V 235		508	546	558	
22 x 8 x 525				525	563	575	
		1422 V 240		559	597	609	
22 x 8 x 565				565	603	615	
		1422 V 270		571	609	621	
22 x 8 x 650				650	688	700	
22 x 8 x 700				700	738	750	
		1422 V 300		724	762	774	
22 x 8 x 750				750	788	800	
22 x 8 x 800		1422 V 330		800	838	850	
		1422 V 340		826	864	876	
22 x 8 x 850				850	888	900	
		1422 V 360		876	914	926	
22 x 8 x 900				900	938	950	
22 x 8 x 950				950	988	1000	
		1422 V 400		978	1016	1028	
22 x 8 x 1000				1000	1038	1050	
		1422 V 420		1029	1067	1079	
22 x 8 x 1060				1060	1098	1110	
		1422 V 440		1079	1117	1129	
		1422 V 460		1130	1168	1180	
		1422 V 470		1156	1194	1206	
		1422 V 480		1181	1219	1231	
22 x 8 x 1250				1250	1288	1300	
22 x 8 x 1320				1320	1358	1370	
		1422 V 540		1333	1371	1383	
22 x 8 x 1400				1400	1438	1450	
		1422 V 600		1486	1524	1536	
22 x 8 x 1500				1500	1538	1550	
		1422 V 660		1638	1676	1688	
26 x 8 x 525				26 x 8	525	563	575
26 x 8 x 630					630	668	680
26 x 8 x 655					655	693	705
26 x 8 x 672					672	710	722
26 x 8 x 680	W25 710				680	718	730
	W25 725				687	725	737
26 x 8 x 710					710	748	760

A	B	C	Srovnávací rozměry [mm]			
Označení řemenů			š x v	Li	Lw	La
Standardní	ISO 1604	RMA/MPTA	4	5	6	7
1	2	3				
26 x 8 x 750			26 x 8	750	788	800
26 x 8 x 762	W25 725			762	800	812
26 x 8 x 800				800	838	850
26 x 8 x 850				850	888	900
26 x 8 x 862				862	900	912
26 x 8 x 900				900	938	950
	W25 950			912	950	962
26 x 8 x 950				950	988	1000
26 x 8 x 962	W25 1000			962	1000	1012
26 x 8 x 1000				1000	1038	1050
26 x 8 x 1082	W25 1120			1082	1120	1132
	W25 1150			1112	1150	1162
26 x 8 x 1212	W25 1250			1212	1250	1262
	W25 1400			1362	1400	1412
26 x 8 x 1562				1562	1600	1612
28 x 8 x 600				28 x 8	600	638
28 x 8 x 650			650		688	700
28 x 8 x 700			700		738	750
28 x 8 x 750			750		788	800
28 x 8 x 800			800		838	850
28 x 8 x 850			850		888	900
28 x 8 x 900			900		938	950
28 x 8 x 950			950		988	1000
28 x 8 x 1000			1000		1038	1050
28 x 8 x 1060			1060		1098	1110
28 x 8 x 1120			1120		1158	1170
28 x 8 x 1180			1180		1218	1230
28 x 8 x 1250			1250		1288	1300
28 x 8 x 1320			1320		1258	1370
28 x 8 x 1400			1400		1438	1450
28 x 8 x 1500			1500		1538	1550
30 x 10 x 588		1926 V 250	30 x 10	588	635	651
30 x 10 x 650		1926 V 275		650	697	713
		1922 V 277		656	703	719
		1922 V 282		669	716	732
		1926 V 290		689	736	752
30 x 10 x 700				700	747	763
		1922 V 298		709	756	772
		1922 V 321		768	815	831
		1922 V 332		796	843	859
30 x 10 x 800				800	847	863
		1922 V 338		811	858	874
30 x 10 x 850				850	897	913
30 x 10 x 875		1922 V 363		875	922	938
30 x 10 x 900				900	947	963
		1922 V 381		920	967	983
		1922 V 386		933	980	996
30 x 10 x 950				950	997	1013
		1922 V 403		976	1023	1039
		1926 V 407		986	1033	1049
30 x 10 x 1000				1000	1047	1063
		1926 V 415		1007	1054	1070
30 x 10 x 1035		1922 V 426		1035	1082	1098
		1926 V 427		1037	1084	1100
		1922 V 443		1078	1125	1141
		1922 V 454		1106	1153	1169
30 x 10 x 1120		1922 V 460		1120	1167	1183
30 x 10 x 1185		1922 V 484		1185	1232	1248
30 x 10 x 1200				1200	1247	1263
		1922 V 526		1289	1336	1352
		1922 V 544		1334	1381	1397
30 x 10 x 1340				1340	1387	1403
		1922 V 604		1487	1534	1550
30 x 10 x 1500			1500	1547	1563	
		1922 V 630	1553	1600	1616	
		1922 V 646	1593	1640	1656	
30 x 10 x 1600			1600	1647	1663	
		1922 V 666	1644	1691	1707	

A	B	C	Srovnávací rozměry [mm]			
Standardní	ISO 1604	RMA/MPTA	š x v	Li	Lw	La
1	2	3	4	5	6	7
		1922 V 686	30 x 10	1695	1742	1758
		1922 V 706		1746	1793	1809
30 x 10 x 1750				1750	1797	1813
		1922 V 721		1784	1831	1847
		1922 V 726		1797	1844	1860
		1922 V 751		1860	1907	1923
		1922 V 756		1873	1920	1936
32 x 10 x 750	W31,5 800		32 x 10	750	797	813
				753	800	816
32 x 10 x 790				790	837	853
32 x 10 x 820				820	867	883
32 x 10 x 850	W31,5 910			850	897	913
				863	910	926
32 x 10 x 900	W31,5 950			900	947	963
				903	950	966
32 x 10 x 950				950	997	1013
	W31,5 1000			953	1000	1016
32 x 10 x 1000				1000	1047	1063
32 x 10 x 1073	W31,5 1120			1073	1120	1136
	W31,5 1150			1103	1150	1166
32 x 10 x 1120				1120	1167	1183
32 x 10 x 1180				1180	1227	1243
32 x 10 x 1200				1200	1247	1263
	W31,5 1250			1203	1250	1266
32 x 10 x 1250				1250	1297	1313
	W31,5 1300			1253	1300	1316
	W31,5 1380		1333	1380	1396	
32 x 10 x 1353	W31,5 1400		1353	1400	1416	
32 x 10 x 1400			1400	1447	1463	
	W31,5 1500		1453	1500	1516	
	W31,5 1550		1503	1550	1566	
		2230 V 266	35 x 10	628	675	691
		2230 V 273		646	693	709
		2230 V 275		651	698	714
		2230 V 326		781	828	844
		2230 V 375		905	952	968
37 x 10 x 660			37 x 10	660	707	723
		2322 V 329		788	835	851
37 x 10 x 800				800	847	863
		2322 V 347		834	881	897
37 x 10 x 850				850	897	913
		2322 V 364		877	924	940
37 x 10 x 900				900	947	963
37 x 10 x 950				950	997	1013
		2322 V 396		958	1005	1021
37 x 10 x 1000				1000	1047	1063
37 x 10 x 1020		2322 V 421		1020	1067	1083
		2322 V 434		1055	1102	1118
37 x 10 x 1060				1060	1107	1123
		2322 V 441		1073	1120	1136
37 x 10 x 1120				1120	1167	1183
		2322 V 461		1123	1170	1186
		2322 V 481		1174	1221	1237
37 x 10 x 1180				1180	1227	1243
		2322 V 486		1187	1234	1250
37 x 10 x 1250			1250	1297	1313	
		2322 V 521	1276	1323	1339	
37 x 10 x 1320			1320	1367	1383	
		2322 V 541	1327	1374	1390	
37 x 10 x 1400			1400	1447	1463	
		2322 V 601	1479	1526	1542	
37 x 10 x 1500			1500	1547	1563	
37 x 10 x 1600			1600	1647	1663	
		2322 V 661	1631	1678	1694	
		2322 V 681	1682	1729	1745	
37 x 10 x 1700			1700	1747	1763	
		2322 V 701	1733	1780	1796	
37 x 10 x 1800			1800	1847	1863	
		2322 V 801	1987	2034	2050	

A	B	C	Srovnávací rozměry [mm]				
Označení řemenů			š x v	Li	Lw	La	
Standardní	ISO 1604	RMA/MPTA	4	5	6	7	
1	2	3					
		2530 V 500	40 x 13	1209	1270	1291	
		2530 V 530		1285	1346	1367	
		2530 V 560		1361	1422	1443	
		2530 V 600		1463	1524	1545	
		2530 V 630		1539	1600	1621	
		2530 V 670		1640	1701	1722	
		2530 V 710		1742	1803	1824	
		2530 V 750		1844	1905	1926	
		2530 V 790		1945	2006	2027	
41 x 13 x 900			41 x 13	900	961	982	
41 x 13 x 925				925	986	1007	
	W40 1000			939	1000	1021	
	W40 1020			959	1020	1041	
41 x 13 x 1000				1000	1061	1082	
41 x 13 x 1040				1040	1101	1122	
41 x 13 x 1060	W40 1120			1060	1121	1142	
41 x 13 x 1120				1120	1181	1202	
41 x 13 x 1180				1180	1241	1262	
41 x 13 x 1190	W40 1250			1190	1251	1272	
41 x 13 x 1250				1250	1311	1332	
	W40 1320			1259	1320	1341	
41 x 13 x 1340	W40 1400			1340	1401	1422	
41 x 13 x 1400				1400	1461	1482	
41 x 13 x 1440				1440	1501	1522	
	W40 1530			1469	1530	1551	
41 x 13 x 1500	W40 1560			1500	1561	1582	
41 x 13 x 1600				1600	1661	1682	
	W40 1760			1699	1760	1781	
41 x 13 x 1740				1740	1801	1822	
41 x 13 x 1940				1940	2001	2022	
41 x 13 x 2180				2180	2241	2262	
	W40 2500			2439	2500	2521	
		2830 V 337		45 x 13	795	856	877
		2830 V 363			861	922	943
		2830 V 366			868	929	950
		2830 V 367			871	932	953
		2830 V 393	937		998	1019	
		2830 V 396	944		1005	1026	
		2830 V 422	1010		1071	1092	
47 x 13 x 1000			47 x 13	1000	1061	1082	
47 x 13 x 1060				1060	1121	1142	
47 x 13 x 1120				1120	1181	1202	
		2926 V 471		1135	1196	1217	
		2926 V 486		1173	1234	1255	
47 x 13 x 1180				1180	1241	1262	
47 x 13 x 1250				1250	1311	1332	
		2926 V 521		1262	1323	1344	
47 x 13 x 1320				1320	1381	1402	
		2926 V 546		1325	1386	1407	
		2926 V 574		1397	1458	1479	
47 x 13 x 1400				1400	1461	1482	
		2926 V 586		1427	1488	1509	
		2926 V 606		1478	1539	1560	
47 x 13 x 1500				1500	1561	1582	
		2926 V 616		1503	1564	1585	
		2926 V 636		1554	1615	1636	
		2926 V 646		1579	1640	1661	
47 x 13 x 1600				1600	1661	1682	
		2926 V 666		1630	1691	1712	
		2926 V 686		1681	1742	1763	
47 x 13 x 1700				1700	1761	1782	
		2926 V 726		1783	1844	1865	
47 x 13 x 1800				1800	1861	1882	
		2926 V 750		1844	1905	1926	
		2926 V 776		1910	1971	1992	
		2926 V 786		1935	1996	2017	
		3226 V 392	52 x 16	920	995	1020	
		3226 V 400		941	1016	1041	

A	B	C	Srovnávací rozměry [mm]			
Označení řemenů						
Standardní	ISO 1604	RMA/MPTA	š x v	Li	Lw	La
1	2	3	4	5	6	7
		3226 V 433	52 x 16	1024	1099	1124
		3226 V 450		1068	1143	1168
52 x 16 x 1180				1180	1255	1280
		3226 V 505		1207	1282	1307
52 x 16 x 1250				1250	1325	1350
		3226 V 545		1309	1384	1409
52 x 16 x 1325	W50 1400			1325	1400	1425
		3230 V 560		1347	1422	1447
	W50 1465			1390	1465	1490
52 x 16 x 1400				1400	1475	1500
		3226 V 585		1410	1485	1510
		3230 V 585		1410	1485	1510
		3230 V 600		1449	1524	1549
	W50 1530	3226 V 603		1455	1530	1555
52 x 16 x 1525	W50 1600	3230 V 630		1525	1600	1625
		3226 V 650		1576	1651	1676
52 x 16 x 1600				1600	1675	1700
		3226 V 663		1609	1684	1709
	W50 1700	3230 V 670		1625	1700	1725
52 x 16 x 1725	W50 1800			1725	1800	1825
		3230 V 710		1729	1804	1829
		3226 V 723		1761	1836	1861
		3230 V 723		1761	1836	1861
		3230 V 750		1830	1905	1930
		3226 V 783		1913	1988	2013
52 x 16 x 1925				1925	2000	2025
		3230 V 800		1957	2032	2057
		3226 V 843		2066	2141	2166
		3230 V 850	2084	2159	2184	
52 x 16 x 2162			2165	2240	2265	
52 x 16 x 2240			2240	2315	2340	
	W50 2500		2425	2500	2525	
		3432 V 450	54 x 16	1068	1143	1168
		3432 V 456		1083	1158	1183
		3432 V 480		1144	1219	1244
		3432 V 528		1266	1341	1366
		3432 V 534		1281	1356	1381
55 x 16 x 1400			55 x 16	1400	1475	1500
55 x 16 x 1500				1500	1575	1600
55 x 16 x 1600				1600	1675	1700
55 x 16 x 1700				1700	1775	1800
55 x 16 x 1800				1800	1875	1900
55 x 16 x 2000				2000	2075	2100
55 x 16 x 2240				2240	2315	2340
	W63 1600		65 x 20	1506	1600	1631
	W63 1700			1606	1700	1731
65 x 20 x 1706	W63 1800			1706	1800	1831
65 x 20 x 1906				1906	2000	2031
	W63 2120			2026	2120	2151
65 x 20 x 2146				2146	2240	2271
65 x 20 x 2406	W63 2500			2406	2500	2531
65 x 20 x 2706				2706	2800	2831
		4430 V 530	70 x 18	1261	1346	1374
		4430 V 548		1306	1391	1419
		4430 V 555		1324	1409	1437
		4430 V 560		1337	1422	1450
		4430 V 570		1362	1447	1475
		4430 V 578		1383	1468	1496
		4430 V 600		1439	1524	1552
		4430 V 610		1464	1549	1577
		4430 V 630		1515	1600	1628
		4430 V 652		1571	1656	1684
70 x 18 x 1575				1575	1660	1688
		4430 V 660		1591	1676	1704
70 x 18 x 1600				1600	1685	1713
		4430 V 670		1616	1701	1729
		4430 V 690		1667	1752	1780
		4430 V 700	1693	1778	1806	

A	B	C	Srovnávací rozměry [mm]			
Označení řemenů			š x v	Li	Lw	La
Standardní	ISO 1604	RMA/MPTA	4	5	6	7
1	2	3	70 x 18			
70 x 18 x 1700				1700	1785	1813
		4430 V 710		1718	1803	1831
		4430 V 730		1769	1854	1882
70 x 18 x 1800				1800	1885	1913
		4430 V 750		1820	1905	1933
		4430 V 790		1921	2006	2034
		4430 V 800		1947	2032	2060
70 x 18 x 2000				2000	2085	2113
		4430 V 850		2074	2159	2187
70 x 18 x 2240				2240	2325	2353
70 x 18 x 2500				2500	2585	2613